INDEX TO VOLUME 104

Names of contributors and of authors of books reviewed are printed in CAPITALS. Titles in quotes, standing alone, are of contributed papers. Titles in *italic*, standing alone, are of books reviewed. Names of new genera, species, varieties, and combinations are printed in **bold face.** Numbers in **bold face** refer to pages where such a name is accompanied by a description or illustration. Numbers in *italic* refer to pages on which a name is listed as a synonym. Page number for a plant entity is given for only the first time it appears in any one article.

"A classification of mature forests on Long Island, New York", 376.

"A disjunct population of *Liatris mucronata* DC. in Grayson County, Kentucky", 166.

A Flora of Southern California, 290.

"A mathematical model of forest succession and land use for the North Carolina Piedmont", 334.

"A new species of *Frantzia* (Cucurbitaceae) from Panama", 102.

"A new species of *Rhus* from Durango, Mexico", 241.

"A revision of *Chamissoa* (Amaranthaceae), 111.

"A vascular flora of the forested portion of Cunningham Park, Queens County, New York, with notes on vegetation", 170.

Abelia, 234.

Abies, 8; *balsamea*, 325; *lasiocarpa*, 314.

ABRAHAMSON, WARREN G. and BONNIE J. HERSHEY: Resource allocation and growth of *Impatiens capensis* (Balsaminaceae) in two habitats, 160.

Abronia, 29; *latifolia*, 33; *maritima*, 33.

Acacia, 242; *farnesiana*, 63.

Acer Negundo, 379; *rubrum*, 234; 325; 368; 377; *saccharinum*, 368; *saccharum*, 127; 234; 265; 325; 377; *spicatum*, 325.

Acetone extracts; inhibition of moss spore germination by . . . (terricolous *Cladonia* species), 49.

Achlamys (subgenus of *Chamissoa*), **111.**

"*Actidesmium Hookeri:* a collection from Eastern Long Island", 64.

Actidesmium Hookeri; from eastern Long Island, 64.

Actinomycin D, interaction with puromycin dihydrochloride, streptomycin sulfate, IAA, GA_3, sucrose and red light in apical coleoptile segment growth, 136.

Adenine, effect of . . . on wheat coleoptile segment growth, 141.

Adenosine-3′, 5′-cyclic monophosphate, effect of . . . on wheat coleoptile segment growth, 141.

Agave, 242.

Agrostis elliottiana, 249.

Ailanthus altissima, 376.

AKAI, SHIGEYASU: (see Kunoh), 309.

Alabama, granite outerop endemic of . . . , 243.

Alliaria officinalis, 379.

Allium cuthberttii, 249.

Allmania, 113.

Alnus maritima, 276.

Amblystegium serpens, 49.

Amphianthus pusillus, 247.

An Index of the Common Fungi of North America (Synonymy and Common Names), 287.

Anatomy, wood, of *Weinmannia* (Cunoniaceae), 12.

Andrena eriginiae, 256.

Andropogon gerardi, 166; *scoparius*, 166; *virginicus*, 250.

Antennaria, 317.

Anthericum, 320.

"Anthochlor pigments and pollination biology. II. The ultraviolet floral pattern of *Coreopsis gigantea* (Asteraceae)", 155.

Anthochlor pigments, and pollination biology. II., 155.

Anthoxanthum odoratum, 378.

Antirrhinum, 158.

Aparinoides, (sect. *Galium*), 202.

Apical coleoptile segment growth, effects on . . . by interaction of puromycin dihydrochloride, actinomycin D, and streptomycin sulfate with IAA, GA_3, sucrose and red light, 136.

Apis mellifera, 255; 364.

Apocynum androsaemifolium, 234.

Archilochus colubris, 366.

Arenaria ***alabamensis,*** comb. nov., **243.**

"*Arenaria* ***alabamensis:*** A new combination for a granite endemic of North Carolina and Alabama", **243.**

Arenaria californica, 244; *glabra*, 244; *groenlandica*, 324; *pusilla*, 244; *sajaensis*, 243; *uniflora*, 243.

Arisaema triphyllum, 377.

Arnica cordifolia, 315.

"Artificial induction of obligate cleistogamy in species-hybrids in *Ruellia* (Acanthaceae)", 53.

Arthroaleuriosporous fungus, effects of several wetting agents on the viability of, 25

Arundina, 4.

Arundinaria gigantea, 357.

Asclepias syriaca, 167; 234; *verticillata*, 166.

Asimina triloba, 267.

Aster divaricatus, 377.

Astragalus canadensis, 63.

Atriplex leucophylla, 29.

Augochlora pura, 365.

Augochlorella striata, 365.

Augochloropsis metallica, 365.

Auxarthron reticulatum, 25.

Avena sativa, 136.

BALDWIN, HENRY I.: The induced timberline of Mount Monadnock, N.H., 324.

BAPAT, V. A. and NARAYANASWAMY, S.: Rhizogenesis in a tissue culture of the orchid *Spathoglottis*, 2.

INDEX TO VOLUME 104

Names of contributors and of authors of books reviewed are printed in CAPITALS. Titles in quotes, standing alone, are of contributed papers. Titles in *italic*, standing alone, are of books reviewed. Names of new genera, species, varieties, and combinations are printed in **bold face.** Numbers in **bold face** refer to pages where such a name is accompanied by a description or illustration. Numbers in *italic* refer to pages on which a name is listed as a synonym. Page number for a plant entity is given for only the first time it appears in any one article.

"A classification of mature forests on Long Island, New York", 376.

"A disjunct population of *Liatris mucronata* DC. in Grayson County, Kentucky", 166.

A Flora of Southern California, 290.

"A mathematical model of forest succession and land use for the North Carolina Piedmont", 334.

"A new species of *Frantzia* (Cucurbitaceae) from Panama", 102.

"A new species of *Rhus* from Durango, Mexico", 241.

"A revision of *Chamissoa* (Amaranthaceae), 111.

"A vascular flora of the forested portion of Cunningham Park, Queens County, New York, with notes on vegetation", 170.

Abelia, 234.

Abies, 8; *balsamea*, 325; *lasiocarpa*, 314.

ABRAHAMSON, WARREN G. and BONNIE J. HERSHEY: Resource allocation and growth of *Impatiens capensis* (Balsaminaceae) in two habitats, 160.

Abronia, 29; *latifolia*, 33; *maritima*, 33.

Acacia, 242; *farnesiana*, 63.

Acer Negundo, 379; *rubrum*, 234; 325; 368; 377; *saccharinum*, 368; *saccharum*, 127; 234; 265; 325; 377; *spicatum*, 325.

Acetone extracts; inhibition of moss spore germination by . . . (terricolous *Cladonia* species), 49.

Achlamys (subgenus of *Chamissoa*), **111.**

"*Actidesmium Hookeri:* a collection from Eastern Long Island", 64.

Actidesmium Hookeri; from eastern Long Island, 64.

Actinomycin D, interaction with puromycin dihydrochloride, streptomycin sulfate, IAA, GA_3, sucrose and red light in apical coleoptile segment growth, 136.

Adenine, effect of . . . on wheat coleoptile segment growth, 141.

Adenosine-3′, 5′-cyclic monophosphate, effect of . . . on wheat coleoptile segment growth, 141.

Agave, 242.

Agrostis elliottiana, 249.

Ailanthus altissima, 376.

AKAI, SHIGEYASU: (see Kunoh), 309.

Alabama, granite outerop endemic of . . . , 243.

Alliaria officinalis, 379.

Allium cuthberttii, 249.

Allmania, 113.

Alnus maritima, 276.

Amblystegium serpens, 49.

Amphianthus pusillus, 247.

An Index of the Common Fungi of North America (Synonymy and Common Names), 287.

Anatomy, wood, of *Weinmannia* (Cunoniaceae), 12.

Andrena eriginiae, 256.

Andropogon gerardi, 166; *scoparius*, 166; *virginicus*, 250.

Antennaria, 317.

Anthericum, 320.

"Anthochlor pigments and pollination biology. II. The ultraviolet floral pattern of *Coreopsis gigantea* (Asteraceae)", 155.

Anthochlor pigments, and pollination biology. II., 155.

Anthoxanthum odoratum, 378.

Antirrhinum, 158.

Aparinoides, (sect. *Galium*), 202.

Apical coleoptile segment growth, effects on . . . by interaction of puromycin dihydrochloride, actinomycin D, and streptomycin sulfate with IAA, GA_3, sucrose and red light, 136.

Apis mellifera, 255; 364.

Apocynum androsaemifolium, 234.

Archilochus colubris, 366.

Arenaria ***alabamensis,*** comb. nov., **243.**

"*Arenaria* ***alabamensis:*** A new combination for a granite endemic of North Carolina and Alabama", **243.**

Arenaria californica, 244; *glabra*, 244; *groenlandica*, 324; *pusilla*, 244; *sajaensis*, 243; *uniflora*, 243.

Arisaema triphyllum, 377.

Arnica cordifolia, 315.

"Artificial induction of obligate cleistogamy in species-hybrids in *Ruellia* (Acanthaceae)", 53.

Arthroaleuriosporous fungus, effects of several wetting agents on the viability of, 25

Arundina, 4.

Arundinaria gigantea, 357.

Asclepias syriaca, 167; 234; *verticillata*, 166.

Asimina triloba, 267.

Aster divaricatus, 377.

Astragalus canadensis, 63.

Atriplex leucophylla, 29.

Augochlora pura, 365.

Augochlorella striata, 365.

Augochloropsis metallica, 365.

Auxarthron reticulatum, 25.

Avena sativa, 136.

BALDWIN, HENRY I.: The induced timberline of Mount Monadnock, N.H., 324.

BAPAT, V. A. and NARAYANASWAMY, S.: Rhizogenesis in a tissue culture of the orchid *Spathoglottis*, 2.

Baptisia leucantha, 166.
BARBOUR, MICHAEL G. and DEJONG, THEODORE M.: Response of West Coast beach taxa to salt spray, sea water inundation, and soil salinity, 29.
BARNES, C. M.: see Lawson, 136.
Bartonia, 99.
BASKIN, CAROL C.: (see Baskin, J. M.), 61; 166; 167.
BASKIN, JERRY M. and CAROL C.: Predation of *Cassia marilandica* seeds by *Sennius abbreviatus* (Coleoptera: Bruchidae), 61.
BASKIN, JERRY M. and CAROL C.: A disjunct population of *Liatris mucronata* DC in Grayson County, Kentucky, 166.
BASKIN, JERRY M. and CAROL C.: Germination of common milkweed (*Asclepias syriaca* L.) seeds, 167.
BECKER, HERMAN F., (Review), 282.
BELL, DAVID T. and R. DEL MORAL: Vegetation gradients in the streamside forest of Hickory Creek, Will County, Illinois, 127.
BERNARD, JOHN M. and BERNARD, FLORENCE A.: Winter standing crop and nutrient contents in five central New York wetlands, 57.
BERNHARDT, PETER and EDY A. MONTALVO: The reproductive phenology of *Echeandia macrocarpa* with a reexamination of the floral morphology, 320.
BERNHARDT, PETER: (Review), 286.
Betula alleghaniensis, 325; *lenta*, 377; *nigra*, 336; *papyrifera*, 234; 325; *populifolia*, 376.
Bibliography, of T. G. Yuncker (concluded), 24.
Bidens, 158.
"Biennial species of *Sedum* of the Sierra Madre Occidental and Mexican Plateau", 209.
Biennial species, of *Sedum* . . . (Mexico), 209.
Biomass partitioning, in fresh water tidal wetland populations of wild rice, 347.
Bituminous stripmine spoils, revegetation of . . . , 218.
Bombus affinis, 365; *bifarius nearcticus*, 148; *centralis*, 152; *fervidus*, 365; *flavifrons dimidiatus*, 148; *impatiens*, 364; *oppositus*, 151; *rufocinctus*, 148; *ternarius*, 365; *terricola*, 234; 365; *vagans*, 234; 364; *vosnesenskii*, 152.
BONGIORNO, S.: (see Frankowski), 383.
BRADY, RUTH M.: (see Lawson), 141.
Bruchus bivulneratus, 61.
Cacti, chromosome numbers in . . . (western North America), 105.
Cadmium, the effect of . . . on cell division growth, and chlorophyll *a* content in *Chlorella vulgaris*, 226.
Cakile, 29.
Calculational techniques, on the estimation of leaf area and the construction of leaf site distributions, 264.
California, the Sierra Nevada of, and pollination ecology of *Pedicularis*, 148.
Calliandra grandiflora, 63.
Calystegia soldanella, 29.
Cambial structure, of *Prosopis spicigera* L., variation trends in, 197.
Camissonia cheiranthifolia, 29.
CANRIGHT, JAMES E., Jacob Richard Schramm (1885–1976)—I remember him well (obituary), 177.
Carex geyeri, 315; *lacustris*, 57; *lanuginosa*, 57; *pennsylvanica*, 378, *rossii*, 315; *rostrata*, 57.
CAREY, SUSAN T.: (Review), 288.
Carpinus caroliniana, 379.
Carya cordiformis, 336; *glabra*, 336; *ovata*, 134; 336; *tomentosa*, 336.
Cassandra calyculata, 326.
Cassia grandis, 63; *marilandica*, 61.
Cassia marilandica; (seeds) predation of . . . by *Sennius abbreviatus* (Coleoptera: Bruchidae), 61.
Castanea dentata, 378.
Cell division, the effect of cadmium, copper, mercury, zinc and lead on . . . in *Chlorella vulgaris*, 226.
Cenococcum graniforme, 218.
Central New York, winter standing crop and nutrient contents in five . . . wetlands, 57.
Ceratodon purpureus, 51.
Cercidium sonorae, 159.
Cereus cochal, 108; *emoryi*, 108.
Chamaecyparis thyoides, 352; 379.
Chamissoa (Amaranthaceae), A revision of . . . , 111.
Chamissoa, subgenus ***Achlamys*** (comb. nov.), 121.
Chamissoa acuminata, 121; *acuminata* ***maximiliannii*** (comb. nov.), **122**; *acuminata* ***swansonii*** (var. nov.), **124**; *altissima*, 111; *altissima* var. *altissima*, 116; var. *rubella*, 111.
Charpentiera, 111.
Chenopdium incanum, 99.
Chimaphila maculata, 379.
Chionanthus virginicus, 249.
Chlamydomonas, 136.
Chlorella pyrenoidosa, 231; *vulgaris*, 226.
Chlorophyll *a* (content), the effect of cadmium, copper, mercury, zinc and lead on . . . in *Chlorella vulgaris*, 226.
Chlorophyte, *Chlorella vulgaris*, 226.
Chromosome numbers: in cacti of western North America, 105.
"Chromosome numbers in some cacti of Western North America—III", 105.
Cladonia, 369; *cristatella*, 49; *squamosa*, 49; *subcariosa*, 49.
CLAUSEN, ROBERT T.: Biennial species of *Sedum* of the Sierra Madre Occidental and Mexican Plateau, 209.
Claytonia caroliniana, 260; *lanceolata*, 317; *virginica*, 254.
Claytonia virginica, flowering phenology and seed set in . . . , 254.
Cleistogamy, obligate; artificial induction of . . . (*Ruellia*), 53.
"*Clematis* ***coahuilensis*** (Ranunculaceae), a new species from North Central Mexico", **10**.
Clematis ***coahuilensis***, sp. nov., **10**; *dioica*, 10; *drummondii*, 10.
Clethra alnifolia, 160; 379.
Clintonia borealis, 325.

Coal strip-mining; trace metal accumulation by plant species from a(n) . . . area in Ohio, 368.
Coccidioides immitis, 25.
Coevolution of Animals and Plants, 286.
Colaptes auratus, 272.
COLEMAN, JOHN: (see Lawson), 136.
Common milkweed seeds, (*Asclepias syriaca* L.), germination of . . . , 167.
Comptonia peregrina, buried seeds of, 270.
Connecticut, increase in abundance of *Solidago sempervirens* on a diked salt marsh in southwestern . . . , 383.
Copper, the effect of . . . on cell division, growth and chlorophyll *a* content . . . of *Chlorella vulgaris*, 226.
Coptis, 327.
Coreopsis gigantea (Asteraceae), ultraviolet floral pattern of . . . , 155.
Coreopsis maritima, 159.
Cornus alternifolia, 374; *canadensis*, 325; *florida*, 376.
Cosmos, 158.
CRANWELL, LUCY M.: (Review), 289.
Crataegus crusgalli, 129; *mollis*, 127.
Crematogaster, 365.
Crotonopsis elliptica, 249.
CROVELLO, THEODORE J.: (Review), 401.
Cunningham Park (Queens Co., N. Y.), a vascular flora of the forested portion of . . . , 170.
Cunoniaceae, (*Weinmannia*), wood anatomy of, 12.
Cyclotella nana, 231.
Cymbidium and *Cattleya*, (excised parts of orchids), 1.
Cypripedium acaule, 379.
DABEL, CLAIRE V. and F. P. DAY, JR.: Structural comparisons of four plant communities in the Great Dismal Swamp, Virginia, 352.
Dahlia imperialis, 320.
DAY, FRANK R. JR.: (see Dabel), 352.
DEJONG, THEODORE M.: (see Barbour), 29.
DEL MORAL, ROGER: (see Bell), 127.
DEL TREDICI, PETER: The buried seeds of *Comptonia peregrina*, 270.
Dentaria laciniata, 255.
Deschampsia flexuosa, 378.
DESJARDINS, P. R. and G. A. ZENTMYER: Multiflagellate zoospores of *Phytophthora palmivora*, 165.
Desmodium nudiflorum, 379.
Diabratica duodecimpunctata, 366; *longicornis*, 366.
Dialictus, 239.
Diamorpha smallii, 249.
Dicentra canadensis, 255; *cucullaria*, 255.
DICKISON, WILLIAM C.: Wood anatomy of *Weinmannia* (Cunoniaceae), 12.
Diervilla lonicera, floral biology of . . . , 234.
Diked salt marsh, increase in abundance of *Solidago sempervirens* on, in southwestern Connecticut, 383.
Diospyros virginiana, 381.
DOLPH, GARY E.: The effect of different calculational techniques on the estimation of leaf area and the construction of leaf size distribution, 264.
Dredging spoils island, early plant succession on a . . . in the Seneca River of upstate New York, 386.
Dumbbell-shaped bodies, in rice lamina epidermis, scanning electron microcopy and X-ray analysis of, 309.
Dunaliella, 231.
Durango, Mexico, a new species of *Rhus* from, 241.
"Early plant succession on a dredging spoils island in the Seneca River of Upstate New York", 386.
Echeandia macrocarpa, The reproductive phenology of . . . with a reexamination of the floral morphology, 320.
Echinacea angustifolia, 166.
Echinocereus, 40.
"Effect of adenine, adenosine-3′,5′-cyclic monophosphate, guanosine, and guanosine-3′,5′-cyclic monophosphate on wheat coleoptile segment growth", 141.
"Effects of several wetting agents on the viability of an arthroaleuriosporous fungus", 25.
Ecological amplitude, relationship with genetic polymorphism in successional species of *Erigeron*, 279.
Elymus virginicus, 166.
Equisetum arvense, 379.
Eragrostis poaeoides, 387.
Erigeron, relationship of genetic polymorphism and ecological amplitude in successional species of . . . , 279.
Erigeron annuus, 280; *canadensis*, 280; *peregrinus*, 315.
Eriophorum spissum, 326.
Eristalis dimidiatus, 257.
Eryngium yuccifolium, 166.
Erythronium albidum, 255.
Euchamissoa, 113.
Eupatorium maculatum, 387.
Euphorbia corollata, 166.
Fagus grandifolia, 325; 369; 377.
Ferocactus rostii, 105.
FERREN, WAYNE R. JR. and R. E. GOOD: Habitat, morphology and phenology of southern wild rice (*Zizania aquatica* L.) from the Wading River in New Jersey, 392.
Flora Europaea. Volume 4. *Plantaginaceae to Compositae (and Rubiaceae)*, 73.
Flora of Okinawa and the Southern Ryukyu Islands, 283.
"Floral biology of *Diervilla lonicera*", 234.
Floral morphology, a reexamination of . . . in *Echeandia macrocarpa*, 320.
Flowering phenology, in *Claytonia virginica*, 254.
"Flowering phenology and seed set in *Claytonia virginica*", 254.
Forest succession, A mathematical model of . . . for the North Carolina Piedmont, 334.
Fouquieria splendens, 242.
FOWLER, NORMA: (see Wyatt), 245.
FRANKOWSKI, B. F. HERNANDEZ, T. OKON and S.

BONGIORNO: Increase in abundance of *Solidago sempervirens* on a diked salt marsh in southwestern Connecticut, 383.
Frantzia (*Cucurbitaceae*), new species from Panama, 102.
Frantzia ***panamensis*** (sp. nov.), **102**; *pittieri*, 102; *tacaco*, 102; *talamencensis*, 102; *villosa*, 102.
Fraxinus americana, 369; 377; *pennsylvanica*, 127.
Freshwater tidal wetland; growth, mortality and biomass partitioning in populations of wild rice, 347.
Fuchsia, 320.
Funaria hygrometrica, 49.
GA_3, interaction with puromycin dihydrochloride, actinomycin D, streptomycin sulfate, IAA, sucrose and red light, on apical coleoptile segment growth, 136.
GAITHER, THOMAS W.: (see Medve), 218.
Galium antarcticum, 203; *labradoricum*, 202; *mollugo*, 204; *obtusum*, 202; *obtusum* ssp. *obtusum*, 206; *obtusum* ssp. ***filifolium*** (comb. nov), **207**; *palustre*, 204; *tinctorium*, 202; *trifidum*, 202; *trifidum* var. *filifolium*, *207*; *trifidum* var. *latifolium*, *206*.
GAMBLIN, CAROLINE C.: (see Lawson), 141.
Gaultheria procumbens, 379.
Gaylussacia baccata, 378.
Genetic polymorphism, relationship with ecological amplitude in successional species of *Erigeron*, 279.
Geotrichum candidum, 25.
Geranium maculatum, 377.
"Germination of common milkweed (*Asclepias syriaca* L.) seeds", 167.
Germination, moss spore, inhibition by acetone extracts of terricolous *Cladonia* species, 49.
GHOUSE, A. K. M. and MUHAMMAD IQBAL: "Variation trends in the cambial structure of *Prosopis spicigera* L. in relation to the girth of the tree axis", 197.
GIBSON, ARTHUR C.: Vegetative anatomy of *Maihuenia* (Cactaceae) with some theoretical discussions of ontogenetic changes in xylem cell types, 35.
Girth of tree axis in *Prosopis spicigera*, cambial structure variations in relation to, 197.
Gleditsia triacanthos, 267.
GOOD, RALPH E.: (see Ferren), 392.
Granite outcrop endemic, A new combination for a . . . *Arenaria* ***alabamensis***, **243**.
Granite outcrops, The vascular flora and vegetation of the North Carolina . . . , 245.
Grayson County, Kentucky. A disjunct population of *Liatris mucronata* DC. in . . . , 166.
Great Dismal Swamp, Structural comparisons of four plant communities, 352.
GRELLER, ANDREW M.: A classification of mature forests on Long Island, New York, 376.
GRELLER, ANDREW M.: A vascular flora of the forested portion of Cunningham Park, Queens County, New York, with notes on the vegetation, 170.
GRELLER, ANDREW M.: (Review), 285; 286.
Growth, in fresh water tidal wetland populations of wild rice, 347.
"Growth, mortality and biomass partitioning in fresh water tidal wetland populations of wild rice", 347.
Growth, the effect of cadmium, copper, mercury, lead and zinc on . . . in *Chlorella vulgaris*, 226.
Guanosine, effect of . . . on wheat coleoptile segment growth . . . , 141.
Guanosine-3′,5′-cyclic monophosphate, effect of . . . on wheat coleoptile segment growth, 141.
Habenaria, 4.
"Habitat, morphology and phenology of southern wild rice from the Wading River in New Jersey", 392.
Habitat, of southern wild rice from the Wading River in New Jersey, 392.
Hamamelis virginiana, 380.
HANCOCK, J. F. JR.: The relationship between genetic polymorphism and ecological amplitude in successional species of *Erigeron*, 279.
Helophilus fasciatus, 257.
Hemaris diffinis, 234.
HERNANDEZ, F.: (see Frankowski), 383.
HERSHEY, BONNIE J.: (see Abrahamson), 160.
Hickory Creek (Will Co., Illinois); stream-side forest of . . . , 127.
Hieracium gracile, 315.
HILL, ROBERT J.: Variability of soluble seed proteins in populations of *Mentzelia* L. from Wyoming and adjacent states, 93.
HOFFMAN, FRANK M.: (see Medve), 218.
HOLMGREN, NOEL H.: (Review), 290.
Honkenya peploides, 29.
Hordeum vulgare, 136.
Horismenus missouriensis, 62.
Hydrophyllum canadense, 255.
Hypericum gentianoides, 249; *perforatum*, 234.
Hypoxis longii Fern., rare and endangered, in Oklahoma, 276.
IAA, interaction with puromycin dihydrochloride, actinomycin D, streptomycin sulfate, GA_3, sucrose, and red light, in apical coleoptile segment growth, 136.
Ilex opaca, 355.
Illinois, Hickory Creek, Will County, stream-side forest vegetation gradients, 127.
Impatiens biflora, 361; 379; *capensis*, 160; 361; *glandulifera*, 361; *noli-tangere*, 361; *pallida*, 361; *parviflora*, 361.
Impatiens capensis, pollination in 361; *pallida*, pollination in, 361.
Impatiens capensis (Balsaminaceae), Resource allocation and growth . . . in two habitats, 160.
"Increase in abundance of *Solidago sempervirens* on a diked salt marsh in southwestern Connecticut", 383.
Induced timberline, of Mount Monadnock, N.H., 324.
"Inhibition of moss spore germination by acetone extracts of terricolous *Cladonia* species", 49.
"Interaction of puromycin dihydrochloride, ac-

tinomycin D, and streptomycin sulfate with IAA, GA_3, sucrose and red light in apical coleoptile segment growth'', 136.
Introduction to the History of Mycology, 288.
IQBAL, MUHAMMAD: (see Ghouse), 197.
Isoetes melanospora, 247.
''Jacob Richard Schramm (1885–1976)—I remember him well'', 177.
JOHNSON, W. CARTER: A mathematical model of forest succession and land use for the North Carolina Piedmont, 334.
JONES, C. E., JR.: (see Scogin), 155.
Juglans, 160.
Juncus georgianus, 249; *trifidus*, 326.
Juniperus ashei, 249; *virginiana*, 249; 376.
Kalmia angustifolia, 325; *latifolia*, 378.
KEIL, DAVID J.: ***Clematis coahuilensis*** (Ranunculaceae), a new species from North-Central Mexico, 10.
Kentucky, a disjunct population of *Liatris mucronata* in Grayson County, 166.
KNIGHT, DENNIS H., B. S. ROGERS, and C. R. KYTE: Understory plant growth in relation to snow duration in Wyoming subalpine forest, 314.
Krigia virginica, 249.
Kuhnia eupatorioides, 166.
KUNOH, HITOSHI and S. AKAI: Scanning electron microscopy and X-ray microanalysis of dumbbell-shaped bodies in rice lamina epidermis (*Oryza sativa*), 309.
KYTE, CLAYTON R.: (see Knight), 314.
Laportea canadensis, 255.
Larix, 8.
Larrea divaricata, 242.
Lasiglossum, 365.
Lathyrus japonicus, 29; *littoralis*, 29.
LAWREY, JAMES D.: Inhibition of moss spore germination by acetone extracts of terricolous *Cladonia* species, 49.
LAWREY, JAMES D.: Trace metal accumulation by plant species from a coal strip-mining area in Ohio, 368.
LAWSON, VERNA R., R. M. BRADY and C. C. GAMBLIN: Effect of adenine, adenosine-3′,5′-cyclic monophosphate, guanosine, and guanosine-3′,5′-cyclic monophosphate on wheat coleoptile segment growth, 141.
LAWSON, VERNA R., C. M. BARNES and J. COLEMAN: Interaction of puromycin dihydrochloride, actinomycin D, streptomycin sulfate with IAA, GA_3, sucrose and red light in apical coleoptile segment growth, 136.
Lead, the effects of . . . on cell division, growth, and chlorophyll *a* content . . . , in *Chlorella vulgaris*, 226.
Leaf area, calculational techniques in the estimation of . . . , 264.
Leaf size distributions, calculation techniques in the construction of . . . , 264.
Lecidea albocaerulescens, 49.
Lewisia pygmaea, 317.
Leycesteria, 234.
Liatris mucronata, A disjunct population of, in Grayson Co., Kentucky, 166.
Liatris spicata, 166; *squarrosa*, 166.
''Lichen find at New York Botanical Garden'', 59.
Linaria canadensis, 249.
Lindera benzoin, 267; 379.
Lindernia monticola, 249.
Liquidambar styraciflua L., 336; 353; 376.
Liriodendron tulipifera, 336; 368.
Lobadium, 234.
Lobelia spicata, 166.
LONG, ROBERT W.: Artificial induction of obligate cleistogamy in species hybrids in *Ruellia* (Acanthaceae), 53.
Long Island, A classification of mature forests on . . . , New York, 376.
Long Island, eastern, a collection of *Actidesmium Hookeri* from, 64.
Lopezia hirsuta, 320.
Lucilia illustris, 366.
Lycoperdon, 225.
Lycopodium obscurum, 326; *Selago*, 326.
Lysimachia quadrifolia, 378.
Lythrum salicaria, 387.
Machaerocereus, 105.
MACIOR, LAZARUS WALTER: The pollination ecology of *Pedicularis* (Scrophulariaceae) in the Sierra Nevada of California, 148.
Magnolia virginiana L., 353.
Maianthemum canadense, 325; 378.
Maihuenia; (Cactaceae) vegetative anatomy of, with some theoretical discussion of ontogenetic changes in xylem cell types, 35.
Maihuenia brachydelphys, 35; *patagonica*, 35; *philippi*, 35; *poeppigii*, 35; *tehuelches*, 35; *valentinii*, 35.
Malbranchea, 25.
Mammillaria microcarpa, 105.
Manilkara amazonica, 264.
MARENGO, NORMAN P.: Mildred McAusland Marengo, 1905–1976, 66.
Mathematical model, of succession and land use for the North Carolina Piedmont, 334.
Mature forests, a classification of . . . on Long Island, New York, 376.
Mayer's tannic acid—ferric chloride, staining of *Tilia* mucilages with, 277.
MCGILL, LYLE A.: (see Pinkava), 105.
MCLEOD, MALCOLM G.: (see Pinkava), 105.
MEDVE, RICHARD J., F. M. HOFFMAN, and T. W. GAITHER: The effects of mycorrhizal-forming amendments on the revegetation of bituminous strip-mine spoils, 218.
Megachile, 365.
Melampyrum lineare, 234; 379.
Melissodes, 97.
Mentzelia L., soluble seed proteins of, 93.
Mentzelia albicaulis, 93; *decapetala*, 93; *dispersa*, 93; *laevicaulis*, 93; *multiflora*, 93; *nuda*, 93; *oligosperma*, 93; *pumila*, 93; *rusbyi*, 98; *sinuata*, 93; *speciosa*, 93.
Mercury, The effect of . . . on cell division growth, and chlorophyll *a* content, in *Chlorella vulgaris*, 226.
Metasyrphus americanus, 257.

Mexican Plateau, biennial species of *Sedum* of the, 209.
Mexico, (North-central) *Clematis* ***coahuilensis***, a new species from, **10**.
Mexico, Durango, A new species of *Rhus*, 241.
MEYER, FREDERICK G.: (Review), 283.
MILLER, CHARLES N., JR.: *Pityostrobus* ***lynni*** (Berry) comb. nov., a pinaceous seed cone from the Paleocene of Virginia, 5; **6**.
MILLER, GARY L.: Early plant succession on a dredging spoils island in the Seneca River of Upstate New York, 386.
Miltonia, 4.
Mimosa, 234.
Minuartia alabamensis, *243*.
Miocene Leaf Floras at the Western Border of the Bohemian Massif, 282.
Mnium cuspidatum, 49.
MONTALVO, EDY A.: (see Bernhardt), 320.
Morphology, of southern wild rice from the Wading River in New Jersey, 392.
Mortality, in fresh water tidal wetland populations of wild rice, 347.
Moss spore germination; inhibition of, by acetone extracts of terricolous *Cladonia species*, 49.
Mount Monadnock, N.H., the induced timberline of, 324.
"Multiflagellate zoospores of *Phytophthora palmivora*", 165.
Mycorrhizal-forming amendments, The effects of . . . on the revegetation of bituminous stripmine spoils, 218.
NARAYANASWAMY, S.: (see Bapat), 2.
Nemopanthus mucronata, 325.
New Hampshire, the induced timberline of Mount Monadnock, 324.
New Jersey, habitat, morphology and phenology of southern wild rice from the Wading River in, 392.
New York, a classification of mature forests on Long Island, 376.
New York, early plant succession on a dredging spoils island in the Seneca River of Upstate, 386.
New York, Cunningham Park, Queens County, vascular flora of the forested portion . . . , 170.
New York, wetlands, nutrient contents of winter standing crop in five central, 57.
New York Botanical Garden; lichen find at, 59.
Nitzschia closterium, 231.
North America (western); chromosome numbers in cacti of . . . , 105.
North Carolina, granite outerops endemic of . . . , 243.
North Carolina, granite outerops, vascular flora of . . . , 245.
North Carolina Piedmont, a mathematical model of forest succession and land use for the, 334.
Nutrient contents, of winter standing crop, in five central New York wetlands, 57.
Nyssa aquatica L., 353; *sylvatica*, 337; *sylvatica biflora*, 353.
Ocellularia subtilis, 49.
Oenothera biennis, 387.
Ohio, trace metal accumulation by plant species from a coal stripmining area in . . . , 368.
Oklahoma, the rare and endangered *Hypoxis longii* Fern. of, . . . , 276.
OKON, T.: (see Frankowski), 383.
Ontogenetic changes: theoretical discussions of . . . in xylem cells. (Vegetative anatomy of *Maihuenia* (Cactaceae)), 35.
Opuntia basilaris, 107; *chlorotica*, 110; *curvospina*, 110; *ficus-indica*, 110; *fragilis*, 105; *kleiniae*, 105; *leptocaulis*, 105; *microdasys*, 105; *phaeacantha*, 110; *polyacantha*, 105; *rufida*, 105.
Orchid, rhizogenesis in tissue culture, 2.
ORR, G. F., S. D. THORNE and W. C. TIPPETS: Effects of several wetting agents on the viability of an arthroaleuriosporous fungus, 25.
Oryza sativa, 309.
Osmia tristella, 148.
Osmunda cinnamomea, 380; *regalis*, 380.
Ostrya virginiana, 374.
Paleocene, *Pityostrobus* ***lynni*** (comb. nov.), of, 5; **6**.
Paleoecology of Terrestrial Plants. Basic Principles and Techniques, 285.
Panama, A new species of *Frantzia* from, 102.
Parthenium integrifolium, 166.
Parthenocissus quinquefolia, 369; 377.
Pedicularis (Scrophulariaceae), pollination ecology of . . . in the Sierra Nevada of California, 148.
Pedicularis attollens, 148; *bracteosa*, 148; *canadensis*, 153; *crenulata*, 153; *groenlandica*, 148; *racemosa*, 148; *semibarbata*, 148.
Pellaea wrightiana, 249.
Peltigera canina, 51.
Penstemon oreocharis, 153.
Perdita montana, 97.
Pereskia humboldtii, 43.
Persea borbonia L., 353.
Phacelia caeruleivirdis, 366.
Phajus, 4.
Phaseolus vulgaris, 30.
Phenology, of southern wild rice from the Wading River in New Jersey, 392.
Physcomitrium pyriforme, 49.
Phytophthora palmivora; multiflagellate zoospores of, . . . , 165.
Picea abies, 330; *engelmannii*, 314; *mariana*, 332; *rubens*, 324.
Pinaceous seed cone, *Pityostrobus* ***lynni*** from the Paleocene, (Virginia), **5**.
PINKAVA, DONALD J., L. A. MCGILL, T. REEVES, and M. G. MCLEOD: Chromosome numbers in some cacti in western North America-III, 105.
Pinus contorta latifolia, 314; *echinata*, 334; *ponderosa*, 148; *resinosa*, 218; 368; *rigida*, 378; *strobus*, 218; 325; 368; *sylvestris*, 49; *taeda*, 276; 334; *virginiana*, 334.
Pisolithus tinctorius, 218.
"*Pityostrobus* ***lynni*** (Berry) comb. nov., a pinaceous seed cone from Paleocene of Virginia", 5; **6**.
Pityostrobus macrocephalus, 8.
PIZZOLATO, THOMPSON DEMETRIO: Staining of *Tilia* mucilages with Mayer's tannic acid-ferric chloride, 277.

plant communities, structural comparisons of . . . in the Great Dismal Swamp, Virginia, 352.
plant species, trace metal accumulation by . . . from a coal strip mining area in Ohio, 368.
plant succession, early . . . on a dredging spoils island in the Seneca River of upstate New York, 386.
Platanus occidentalis, 336; 368.
Poa palustris, 379.
Podophyllum peltatum, 255.
Pohlia nutans, 49.
Pollination, in *Impatiens capensis* and *Impatiens pallida*, 361.
"Pollination in *Impatiens capensis* and *Impatiens pallida* (Balsaminaceae)", 361.
pollination biology, anthochlor pigments and, of *Coreopsis gigantea*, 155.
pollination ecology, of *Pedicularis* (Scrophulariaceae), 148.
Polygonatum biflorum, 377.
Polygonum cascadense, 103; *cuspidatum*, 379.
Polypodium virginianum, 326.
Polystichum acrostichoides, 374.
Polytrichum juniperinum, 317; *ohioense*, 369.
Populus deltoides, 379; 386; *grandidentata*, 221; 368; *heterophylla*, 381; *tremuloides*, 220.
Portulaca smalli, 244.
Potentilla tridentata, 326.
Proceedings of the Eighth International Conference on Numerical Taxonomy, 401.
Prosopis spicigera L., cambial structure variations, 197.
"Predation of *Cassia marilandica* seeds by *Sennius abbreviatiatus* (Coleoptera: Bruchidae)", 61.
PRINCE, C. R.: Lichen find at the New York Botanical Garden, 59.
Prunus pennsylvanica, 270; *serotina*, 129; 376.
Pseudoaraucaria, 8.
Pseudoperonospora humili, 165.
Pteridium aquilinum, 234; 379.
PUFF, CHRISTIAN: The *Galium obtusum* group, 202.
Puromycin dihydrochloride, interaction with actinomycin D, streptomycin sulfate, IAA, GA_3, sucrose and red light in apical coleoptile segment growth, 136.
Pycnanthemum flexuosum, 166.
Pygropachymerus lineola, 63.
Pyrus americana, 325; *melanocarpa*, 325.
Queens County, New York, A vascular flora of the forested portion of Cunningham Park, 170.
Quercus alba, 134; 266; 376; *bicolor*, 379; *borealis* var. *maxima*, 376; *coccinea*, 376; *falcata*, 336; *ilicifolia*, 379; *laevis*, 249; *marilandica*, 336; *montana*, 376; *muhlenbergii*, 267; *nigra*, 337; *phellos*, 336; *rubra*, 128; 234; 267; *shumardii*, 336; *stellata*, 336; *velutina*, 336; 376.
RACHLIN, JOSEPH W.: (see Rosko), 226.
Ranunculaceae, new species, (*Clematis* **coahuilensis**) from north-central Mexico, **10**.
ROSKO, JOHN J. and J. W. RACHLIN: The effect of cadmium, copper, mercury, zinc and lead on cell division growth and chlorophyll *a* content in the chlorophyte *Chlorella vulgaris*, 226.
Rathbunia, 105.
Red light, interaction with puromycin dihydrochloride, actinomycin D, streptomycin sulfate, IAA and GA_3, on apical coleoptile segment growth, 136.
REEVES, TIMOTHY: (see Pinkava), 105.
Reproductive phenology, of *Echeandia macrocarpa*, 320.
"Resource allocation and growth of *Impatiens capensis* (Balsaminaceae) in two habitats, 160.
"Response of West Coast beach taxa to salt spray, sea water inundation, and soil salinity", 29.
Rhingia nasica, 365.
"Rhizogenesis in a tissue culture of the orchid *Spathoglottis*", 2.
Rhizogenesis, in *Spathoglottis* tissue culture, 2.
Rhododendron canadense, 325.
Rhus, a new species . . . from Durango, Mexico, 241.
Rhus **chiangii**, **241**; *toxicodendron*, 265; *typhina*, 234.
Rhynchospora saxicola, 244.
Rice lamina epidermis, dumbbell shaped bodies in, 309.
Robinia pseudoacacia, 218; 368; 376.
ROGERS, BRANT S.: (see Knight), 314.
ROGERSON, CLARK T.: (Review), 287; 288.
Rosa multiflora, 379.
Rubus allegheniensis, 377; *hispidus*, 160; 379; *pensilvanicus*, 378.
Rudbeckia hirta, 155.
Ruellia (Acanthaceae), artificial induction of obligate cleistogamy in species hybrids in, 53.
Ruellia Brittoniana, 53; *caroliniensis*, 53; *nudiflora*, 53; *purshiana*, 56; *strepens*, 56; *tuberosa*, 53; *tweediana*, 56.
Rumex acetosella, 369.
Russula, 225.
RUST, RICHARD W.: Pollination in *Impatiens capensis* and *Impatiens pallida* (Balsaminaceae), 361.
Salix alba, 387; *babylonica*, 379; *nigra*, 379.
Salt spray, west coast beach taxa response to, 29.
Sambucus canadensis, 379.
Sanguinaria canadensis, 255.
Sassafras albidum, 376.
Saxifraga michauxii, 249; *virginiensis*, 249.
Scanning electron microscopy; of dumbbell-shaped bodies in rice lamina epidermis, 309.
"Scanning electron microscopy and X-ray microanalysis of dumbbell-shaped bodies in rice lamina epidermis", 309.
SCHEMSKE, DOUGLAS W.: Flowering phenology and seed set in *Claytonia virginica*, 254.
SCHMIDT, KATHLEEN and JAMES MANGI: *Actidesmium Hookeri*: a collection from Eastern Long Island, 64.
SCHOEN, DANIEL J.: Floral biology of *Diervilla lonicera*, 234.
SCHUYLER, ALFRED E.: (Review), 292.
Scirpus subterminalis, 57; 394; *validus*, 386.
Sclerocactus, 105.
Scleroderma, 225.
SCOGIN, RON, D. A. YOUNG AND C. E. JONES, JR.:

Anthochlor pigments and pollination biology. II. The ultraviolet floral pattern of *Coreopsis gigantea* (Asteraceae), 155.
Sea water inundation, west coast beach taxa response to, 29.
Secale cereale, 136.
Seneca River, early plant succession on a dredging spoils island in the . . . of upstate New York, 386.
Sedum, biennial species of, (Sierra Madre Occidental and Mexican Plateau), 209.
Sedum batesii, 213; *calcaratum*, 214; *chihuahuense*, 214; *clavifolium*, 213; *cormiferum*, 213; *delicatum*, 215; *dispermum*, 215; *flaccidum*, 214; *forreri*, 214; *fuscum*, 214; *jaliscanum*, 214; *minimum*, 215; *napiferum*, 214; *naviculare*, 214; *pringlei*, 214; **quadripetalum, 213; spathulisepalum, 213;** *syncarpum*, 214; *vinicolor*, 214.
Seeds (buried), of *Comptonia peregrina*, 270.
Seed set, in *Claytonia virginica*, 254.
Senecio smallii, 249; *tomentosus*, 249; *vulgaris*, 163.
Sennius abbreviatus; (Coleoptera: Bruchidae), predation of *Cassia marilandica* seeds by, 61.
Sibbaldia procumbens, 317.
Sierra Madre Occidental, biennial species of *Sedum* of the . . . , 209.
Sierra Nevada, of California, and pollination ecology of *Pedicularis*, 148.
Silphium terebinthinaceum, 166.
SIMPSON, ROBERT: (see Whigham), 347.
Smilacina racemosa, 377.
Smilax laurifolia, 353; *rotundifolia*, 380.
Snow duration, understory plant growth in relation to, in Wyoming, 314.
Sobralia macrantha, 320.
SOHMER, S. H.: A revision of *Chamissoa* (Amaranthaceae), 111.
Soil salinity, West Coast beach taxa response to, 29.
Solidago odora, 379; *rigida*, 166; *rugosa*, 387; *sempervirens*, 383.
Solidago sempervirens, increase in abundance of . . . on a diked salt marsh in southwestern Connecticut, 383.
Soluble seed proteins, variability of, in *Mentzelia* populations from Wyoming, etc., 93.
Sorghastrum mutans, 166.
Southern wild rice, habitat, morphology and phenology of . . . from the Wading River in New Jersey, 392.
Sparganium eurycarpum, 57.
Spartina patens, 383.
Spathoglottis, rhizogenesis in tissue culture of, 2.
Spathoglottis plicata, 2.
Species-hybrids, in *Ruellia* (Acanthaceae), 53.
Sphagnum, 203.
Spiranthes cernua, 166.
"Staining of *Tilia* mucilages with Mayer's tannic acid-ferric chloride", 277.
Staphylea trifolia, 265.
Stream-side forest, vegetation gradients in a . . . (Will Co., Illinois), 127.
Streptomycin sulfate, interaction with puromycin dihydrochloride, actinomycin D, IAA, GA_3, sucrose and red light on apical coleoptile segment growth, 136.
"Structural comparisons, of four plant communities in the Great Dismal Swamp, Virginia", 352.
Subalpine forest, understory plant growth in relation to snow duration in Wyoming, 314.
Sucrose, interaction with puromycin dihydrochloride, actinomycin D, streptomycin sulfate, IAA, GA_3 and red light, on apical coleoptile segment growth, 136.
Suillus luteus, 218.
Symplocarpus foetidus, 379.
Symplocos paniculata, 377.
Talinum mengesii, 250; *teretifolium*, 249.
Talisia megaphylla, 204.
Taxodium distichum, 352.
TAYLOR, CONSTANCE E.: (see Taylor, John R.), 276.
TAYLOR, JOHN R. and CONSTANCE E. TAYLOR: The rare and endangered *Hypoxis longii* Fern. in Oklahoma, 276.
Tephrocactus, 35.
Terricolous *Cladonia* species; inhibition of moss spore germination by acetone extracts of, 49.
T. G. Yuncker, bibliography of (concluded), 24.
"T. G. Yuncker bibliography (concluded)", 24.
Thalictrum dioicum, 255.
"The buried seeds of *Comptonia peregrina*", 270.
"The effects of cadmium, copper, mercury, zinc and lead on cell division, growth, and chlorophyll *a* content of the chlorophyte *Chlorella vulgaris*", 226.
"The effect of the different calculational techniques on the estimation of leaf area and the construction of leaf size distributions", 264.
"The effects of mycorrhizal-forming amendments on the revegetation of bituminous stripmine spoils", 218.
"The *Galium obtusum* group", 202.
The Illustrated Flora of Illinois. Sedges: Cyperus *to* Scleria, 292.
"The induced timberline of Mount Monadnock, N.H.", 324.
The Mountain Flora of Java, 289.
"The pollination ecology of *Pedicularis* (Scrophulariaceae) in the Sierra Nevada of California", 148.
"The rare endangered *Hypoxis longii* Fern. in Oklahoma", 276.
"The relationship of genetic polymorphism and ecological amplitude in successional species of *Erigeron*", 279.
"The reproductive phenology of *Echeandia macrocarpa* with a reexamination of the floral morphology", 320.
"The vascular flora and vegetation of the North Carolina granite outcrops", 245.
Thelephora terrestris, 225.
Thelypteris noveboracensis, 377; *simulata*, 380.
THORNE, D. S.: (see Orr), 25.
Thuja occidentalis, 356.
Tilia americana, 127; 277; 379.
Tilia mucilage, staining of . . . , 277.

TIPPETS, W. C.: (see Orr), 25.
Tissue culture, rhizogenesis in *Spathoglottis*, 2.
Toutorea-Mentzelia, 97.
"Trace metal accumulation by plant species from a coal strip-mining area in Ohio", 368.
Trace metals, accumulation by plant species from a coal strip-mining area in Ohio, 368.
Trachyphytum, 99.
Trebouxia, 49.
Trientalis americana, 326.
Trillium recurvatum, 255.
Triticum vulgare, 136; 142.
Tsuga, 8; *canadensis*, 325; 381.
Typha glauca, 57.
Ulmus alata, 336; *americana*, 129; 379; *rubra*, 268.
Ultraviolet floral pattern, of *Coreopsis gigantea* (Asteraceae), 155.
"Understory plant growth in relation to snow duration in Wyoming subalpine forest", 314.
Urban Vegetation: A Review and Chicago Case Study, 286.
Utricularia juncea, 249.
Vaccinium angustifolium, 326; *myrtillus*, 316; *scoparium*, 314; *uliginosum*, 316; *vacillans*, 378; *Vitis-idaea* var. *minus*, 326.
Vallisneria americana, 394.
"Variability of soluble seed proteins in populations of *Mentzelia* L. (Loasaceae) from Wyoming and adjacent states", 93.
"Variation trends in the cambial structure of *Prosopis spicigera* L. in relation to the girth of the tree axis", 197.
Vascular flora of Cunningham Park (Queens Co., N.Y.), index, 173–176.
Vascular flora and vegetation, of the North Carolina granite outcrops, 245.
Vascular flora; of the forested portion of Cunningham Park, Queens County, New York, 170.
Vegetation, notes on . . . of a vascular flora of the forested portion of Cunningham Park, 170.
"Vegetation gradients in the stream-side forest of Hickory Creek, Will County, Illinois", 127.
Vegetation gradients, in a stream-side forest, 127.
"Vegetative anatomy of *Maihuenia* (Cactaceae) with some theoretical discussions of ontogenetic changes in xylem cell types", 35.
Veratrum, 327.
Verbena hastata, 387.
Vespula maculifrons, 364.
Viability, effects of wetting agent in an arthroaleuriosporous fungus, 25.
Viburnum acerifolium, 377; *alnifolium*, 325; *cassinoides*, 325; *dentatum*, 379.
Viguiera, 134.
Viola cucullata, 379.
Virginia, Paleocene of (*Pityostrobus lynii*, pinaceous seed cone), 5.
Virginia, the Great Dismal Swamp, structural comparisons of four plant communities in, 352.
VOSS, EDWARD G.: (Review), 73.
Wading River, habitat, morphology and phenology of southern wild rice from the . . . in New Jersey, 392.
Weigela, 234.
Weinmannia (Cunoniaceae), wood anatomy of, 12.
Weinmannia richii, 21; *rutenbergii*, 21; *simplicifolia*, 22; *sorbifolia*, 21; *sylvicola*, 15; *tolimensis*, 20; *trichosperma*, 13; *urdanatensis*, 22; *wercklei*, 13.
Weissia controversa, 49.
WELCH, WINONA H.: T. G. Yuncker bibliography (concluded), 24.
West Coast beach taxa, response to salt spray, sea water inundation, and soil salinity, 29.
Wetlands, in Central New York, winter standing crop and nutrient contents in, 57.
Wetting agents, effects of . . . on the viability of an arthroaleuriosporous fungus, 25.
Wheat coleoptile segment growth, effect of adenine, adenosine-3′,5′ cyclic monophosphate, guanosine and guanosine-3′,5′ cyclic monophosphate . . . on, 141.
WHIGHAM, DENNIS and ROBERT SIMPSON: Growth, mortality, and biomass partitioning in fresh water tidal wetland populations of wild rice, 347.
Wild rice, growth, mortality and biomass partitioning of fresh water tidal wetland populations of, 347.
"Winter standing crop and nutrient contents in five central New York wetlands", 57.
"Wood anatomy of *Weinmannia* (Cunoniaceae)", 12.
Woodwardia areolata, 380.
WUNDERLIN, RICHARD P.: A new species of *Frantzia* (Cucurbitaceae) from Panama, 102.
WUNDERLIN, RICHARD P.: Robert William Long. Nov. 23, 1927–July 21, 1976, 66.
WYATT, ROBERT: *Arenaria* ***alabamensis:*** A new combination for a granite outcrop endemic of North Carolina and Alabama, **243**.
WYATT, ROBERT and NORMA FOWLER: The vascular flora and vegetation of the North Carolina granite outcrops, 245.
Wyoming; populations of *Mentzelia* L. from, variability of soluble seed proteins, 93.
Wyoming, understory plant growth in relation to snow duration in . . . subalpine forest, 314.
X-ray microanalysis; of dumbbell-shaped bodies in rice lamina epidermis, 309.
Xanthium, 46.
Xylem cell types; theoretical discussions of ontogenetic changes in . . . (Vegetative anatomy of *Maihuenia* (Cactaceae)), 35.
YOUNG, DAVID A.: A new species of *Rhus* from Durango, Mexico, 241.
YOUNG, DAVID A.: (see Scogin), 155.
Zabrotes interstitialis, 63.
Zea mays, 136.
ZENTMYER, C. A.: (see Desjardins), 165.
Zinc, the effect of . . . in cell division, growth and chlorophyll *a* content, in *Chlorella vulgaris*, 226.
Zizania aquatica, 347, 392; *aquatica* var. *angustifolia*, 349; var. *brevis*, 392; var. *interior*, 349.
Zoospores; multiflagellate . . . of *Phytophthora palmivora*, 165.
Zostera marina, 57.
Zur Ökologie der Porlinge (*On the Ecology of Pore Fungi*), 288.